

ISOCHI

ISOCHI ISOCHI ISOCHI ISOCHI ISOCHI
ISOCHI

**INNOVATION FIELD
QUALITY WINS**

ISOCHI ISOCHI ISOCHI ISOCHI ISOCHI
One-Stop Purchasing For PCB Consumables

KUNSHAN SOCHI ELECTRONICS CO.,LTD

TEL:0512-57151112*8001 FAX:0512-57150029

E-MAIL:info@suchidz.com

HTTP:www.suchidz.com

AFTER SALE SERVICE:188-9685-3313

No.88 Qunyi Mining Area, North of Hengshan Road, Yushan
Town, Kunshan City, Jiangsu Province, China,215300

Pressure Foot Cup + Tool Gripper + Air Cylinder
Tool Change Pod + Tool Cassette + Collet+Brush

▶ One-Stop Solution for PCB Equipment/Accessories/Consumables

Content/

Company Profile	03
Our Advantages	05
Product List	06
Product Introduction	07
PCB Machine	07-08
Maintenance Repair / Spindle Spares	09-10
Pressure Foot Cup	11-12
Air Cylinder	13-15
Tool Gripper	16
Tool Change Pod / Tool Cassette	17-18
Inspection Accessories	19-22
Other Accessories	23-24
Collet	25-28
Pressure Foot Insert	29-31
Pressure Foot Brush	32-33
Maintenance Grease & Rubber Roller	34
Bakelite Plate / Dust cover	35-36
Other Consumables	37-38

PCB drilling and forming one-stop supply
To help the development of the electronics industry



Company Profile/



Professional Field

R&D pcb equipment /



Excellent Quality

Strictly control by production, inspection, ex-warehouse, package, etc.



Design Innovation

Kunshan sochi electronics company specialize in PCB, FPC equipment accessories, Mitsubishi Laser drill machine & brand drill machine (domestic & abroad) maintenance repair (for router) / spindle & maintenance for boards; non-standard spares manufacturing and OEM for hardware fitting, plastic items, fixture, mould spares. All of these ensure our quality meet or over customer's needs by excelsior technical team, advanced cnc equipment, inspection instruments Complete operation system for after-sales service to meet customer's need different customization, devoting to offer solution for automotive electronics / semi-conductor / PCB/SMT.



Non-Standard Customization

Available specification, carefully select material, own production, equipped advanced product, advanced technology, rich experience, offer automation solutions for customers



Overseas Market

USA, UK, Spain, India, Vietnam, Canada, Turkey, Brazil, Russia, Korea, Iran, Thailand, Tunis, Italy





Business Tenet/

Kunshan Sochi Electronics Co., Ltd. is located in Kunshan City, Jiangsu Province, China. The company was established in 2017. Our mission is: Insist on making good PCB accessories and manufacturing high-quality products for customers! Customers are our God! We will give our customers with more and better products! Welcome to visit and negotiate business with us.

Our strengths/

6 Advantages



<p>Technological Innovation</p> 	<p>Short Production Cycle</p> 	<p>Product Quality</p> 
<p>Quick Moulding Keep accurate originality for complicated curve surface & functional structure hand board model</p>	<p>Short Production Cycle Quick shipment,ensuring punctual delivery</p>	<p>Nice quality of material, high accuracy (up to 0.005mm)</p>
<p>Top in PCB industry</p> 	<p>Professional R & D team</p> 	<p>Confidentiality system</p> 
<p>Our main customer group is on the top in the industry</p>	<p>Strongly R&D ability and 20 years of production experience</p>	<p>Multiple security measures top rotect, Proofing is more assured</p>

Product List/

 <p>PCB Drilling Machine</p>	 <p>Pressure foot cup</p>
 <p>Air Cylinder</p>	 <p>Tool Gripper</p>
 <p>Inspection accessories</p>	 <p>Collet</p>
 <p>Brush</p>	 <p>Pressure foot insert</p>

Maintain

Annual Maintenance Items

- | | | |
|---|--|---|
| 1
Parameter Backup Before Working | 2
Machine Level Adjustment | 3
XY Origin Correction |
| 4
Pressure Foot Flatness Adjustment | 5
Z Axis Zero Point Adjustment | 6
SPINLE Height Adjustment |
| 7
Regulate $\psi 200$ | 8
Tool Height Confirmation | 9
Dynamic RUN OUT Measurement |
| 10
CHECK MASTER Adjust | 11
ALIGNMENT Adjust | 12
Oil on Machine |

Repair

Spindle Repair

The spindles repaired by our company have passed the rigorous tests of the following steps:

1. Vibration test
2. Dynamic frequency conversion center circle deviation dynamic
3. Static test of rotor center circle deviation
4. Internal and external load test
5. Axial tail space movement test
6. Air flow water flow test
7. Electrical parameters
8. Clamp test of collet
9. Three phase coil impedance test
10. Grip torque test
11. Collet static run-out test



Maintenance of Mitsubishi laser drilling machine



CNC machine CNC drilling machine maintenance



Spindle repair & refurbishment



180krpm Air Spindle



80krpm Automatic Tool Change Spindle



60krpm Automatic Tool Change Spindle



42rpm Manual Tool Change Spindle



Armature



Armature



ABW110 Armature



D1331 Armature



Spindle Head



Spindle Water Jacket



Spindle Head Cap



Rear Waterway Seat for D1331 Spindle



Front Bearing



Rear Bearing



Thrust Bearing



Thrust Bearing



Spindle Pull Rod



Shrapnel



Ceramic Bearing



Coil



125krpm Pressure Foot Cup for Schmoll



180krpm Pressure Foot Cup for Schmoll



Pressure Foot Cup for Schmoll



Pressure Foot Cup for Tongtai Driller



Pressure Foot Cup for Tongtai Driller (New Type)



Pressure Foot Cup for HiCNC Router



Pressure Foot Cup for Hitachi (MARK30/50)



Pressure Foot Cup for AENGR outer (Flat / Concave)



Pressure Foot Cup for Sogotec Router



Pressure Foot Cup for AEMG Router



Pressure Foot Cup for AEMG Driller



Pressure Foot Cup for Taliang Router 1 (50mm)



Pressure Foot Cup for Taliang Router 2 (50mm)



Pressure Foot Cup for Taliang Router 3 (39mm)



Pressure Foot Cup for Taliang Router 4 (50mm)



Pressure Foot Cup for Taliang Router 5 (Butterfly Shape 50mm)



Pressure Foot Cup for Taliang Driller



Pressure Foot Cup for BTF(62mm)



Pressure Foot Cup for BTF(80mm)



Pressure Foot Cup for Linsong



Pressure Foot Cup for Italy JEJE



Pressure Foot Cup for Hans Driller (F6L)



Switch Pressure Foot Cup for Hans



Pressure Foot Cup for Tasikawa



Pressure Foot Cup for Mania



Pressure Foot Cup for Timax



Pressboard for Taliang



Pressure Foot Insert Base for Qianghua



PF Optical Fiber Base for Takisawa



Dust Hood for Timax (Magnet)



Dust Hood for Timax (Small)



Dust Hood for Timax (Induction Line)



Pressure Foot for Schmoll (Plastic)



Pressure Foot for Schmoll (Metal)



Pressure Foot Base for 125krpm Schmoll



Exchange Slide Table for Taliang



Pressure Foot for Tasikawa



Pressure Foot for AEMG



Pressure Foot Blowing Guide for AEMG



L Type Pressure Foot for Tongtai

Pressure Foot Cup

Pressure Foot Cup



Air Cylinder
CJ2KB16-XC10-DCK1197K
for Hitachi Machine



Air Cylinder
CJ2KB16-XC10-DCK1195K
for Hitachi Machine



Air Cylinder
CDQ2KWB25-J2844-50
for Hitachi Machine/ADC Manipulator



Opening&Closing Cylinder
CQ2A32D-J6646-3.5
for ADC Claw



Air Cylinder
CM2RB20-N1360-16 for
Takisawa Machine



Air Cylinder
CJ216-TWUIDK132-0015Z for
Takisawa Machine



Air Cylinder
CDJ2WB16-30-B for
HiCNC Machine



Air Cylinder
CJ2KB16D-E5088-XC10



Pressure Foot Switch Cylinder
CUKW10-25D-X1391
for Hitachi Machine



Left&Right Cylinder
DIDM-16N5+16N15(O)-L/R
for Tongtai Machine



Air Cylinder
DIDM-16N5+16N15-010
for Takisawa Machine



Air Cylinder
for CJ2B16-32-U1000011
for Timax Machine



Air Cylinder
CDJ2B16-45-B



Air Cylinder
CDM2B20X20



Air Cylinder
MAL-16X25-11



Air Cylinder
CDJ2B16-35-XCB



Air Cylinder
CJ2B16-20+15-XC10
for HiCNC Machine



Air Cylinder Rexroth
0822032202
for Schmol Machine



Air Cylinder
CJ2B16-15 for
Tongtai Machine



Air Cylinder
CJ2B16-25 for
Hans Machine



Stroke Air Cylinder
CDQ2KWB25-50D
for AEMG Driller



Air Cylinder
CDU10-30D



Air Cylinder
MAD16X35



Air Cylinder
DIDM-16N10+16N15-021



Air Cylinder
CJ2B16-30 for
Timax/Qianghua Machine



Air Cylinder
CJ216-TWH323-0015
for AEMG Machine



Air Cylinder
CDJ2RA16-60 for
Taliang Machine



Air Cylinder
CDJ2RA16-75 for
Takisawa Machine



Air Cylinder
KCP95SDB32-100



Air Cylinder
PB16X25-S-U-CD491B



Air Cylinder
PB16X30U



Air Cylinder
CQ2B40-25DZ



Air Cylinder
CDU10-10D for
Tongtai Machine



Air Switch Cylinder
SMD2L-1010 for
Tongtai Machine



Air Cylinder
CUJB10-15D for
Hans Machine



Air Cylinder
CUJB10-6DM for
Hans Machine



Air Cylinder
CD85N16-25-B



Air Cylinder
SC40X75-S



Air Cylinder
SDA40*10



Air Cylinder
CDSB16-15DCM

Air Cylinder

Air Cylinder



Air Cylinder
SDAS40X100



Air Cylinder
CDU10-25D



Air Cylinder
CU16-15D



Air Cylinder
CXSM10-10



Air Cylinder
CDJ2RA16-60-B



Air Cylinder
CDJ2B16-20-B



Air Cylinder
CDJ2B16-25+10



Air Cylinder
CH99P014.800.2 P119295



Air Cylinder
CJ2KB16D-E7512-XC10



Air Cylinder
CJ2WB16-35



Parker Air Cylinder
P1A-S025DS-0025



Collet Wrench SM220



Collet Wrench for
D1331 Series



Collet Wrench for
D1331-26/M320 Series



Collet Wrench for
Schmoll Machine



Collet Wrench
for 1722



Collet Wrench for
H916C/H920B



Collet Wrench for
MCT60



Collet Wrench for
SC-63



Collet Wrench for
TI60



Manipulator for
Schmoll Machine 1



Manipulator for
Schmoll Machine 2



Manipulator for
Schmoll Machine 3



Manipulator for
Hans Machine 1



Manipulator for
Hans Machine 2



Manipulator for
Hans Machine 3



Manipulator Claw for Taliang
Opening&Closing Air Cylinder



Manipulator Claw for
Mania Machine



Manipulator for
Hi CNC Machine A



Manipulator for
Hi CNC Machine B



Manipulator for
Hi CNC Machine C



ADC Manipulator for
Hitachi Machine



Manipulator for
Tongtai Machine



Manipulator Griper for
Hans/Daying Machine 1



Manipulator Griper for
Hans/Daying Machine 2



Manipulator Griper for
Schmoll Machine



Manipulator Griper for
Schmoll Machine 2



Manipulator Griper for
ItalyMachine



Tool Grapper U-groove for
Schmoll Machine



Manipulator PistonRod
for Schmoll Machine

POD7.5520mm Tool Pods for Hitachi Driller	POD Exannulate 7.5520mm Tool Pods for Hitachi Driller	22mm Tool Pods for Taliang Driller	22mm Tool Pods for Taliang Driller (Beryllium Copper)
19mm Tool Pods for AEMG Driller (Beryllium Copper)	19mm Tool Pods for Timax/HiCNC/Qianghua Driller	19mm Tool Pods for Songlin Driller	Tool Pods for Tongtai Driller (48 System)
Tool Pods for Tongtai Driller (48 System, Beryllium Copper)	CP-1 Tool Pods for Tongtai Driller (Beryllium Copper)	CP-2 Tool Pods for Tongtai Driller (Beryllium Copper)	CPD20mm Tool Pods for Tongtai Driller
TR 20mm Tool Pods for Tongtai Router	19mm Tool Pods for Taliang/ Henghai/Hans/Vega Router	19mm Tool Pods for AEMG Router	19mm Tool Pods for AEMG Router (Through Hole)
19mm Tool Pods for Sogotec Router	20mm Tool Pods for VELARouter (Beryllium Copper)	20mm Tool Pods for Youjia Router	19mm Tool Pods for LIH SONG Router

19mm Tool Pods for Dahang Router	19mm Tool Pods for Dali Router	Tool Pods for Timax Driller (Big/Small, Plastic)	12.5mm Tool Pods for Timax Driller (Beryllium Copper)
19mm Tool Pods for AEMG Driller (Beryllium Copper)	19mm Tool Pods for Timax/ HiCNC/Qianghua Driller	Tool Pods for Mania Driller	14mm Tool Pods for Kasikawa Driller (A/B)
Tool Cassette for Schmol Machine (Split Type)	Tool Cassette for Tongtai Machine (Split Type)	Tool Pods for Mania Driller	14mm Tool Pods for Kasikawa Driller (A/B)
Tool Cassette for Excellon Machine	Tool Cassette for Taliang Machine	Tool Cassette for Takisawa Machine	Tool Cassette for Mania Machine
Tool Cassette for Schmol Machine	Tool Cassette for Hans Machine	Tool Cassette for Schmol Machine	Tool Cassette for Vega Machine

Tool Pod

Tool Cassette



Focusing Mirror for Mitsubishi Laser Driller



Control Plate LASTER-7



Scanning Mirror



Triangular Mirror



Protective Mirror



Bronze Mirror



Renishaw RH100*30 D05A Reading Head



HEIDENHAIN LIDA 27 Reading Head



LIDA47 Reading Head for Schmolz Machine



LIDA407 Linear Scale for Schmolz Machine



HEIDENHAIN LIDA405 Linear Scale



V-CUT Reading Head for Schmolz Machine



Spindle Power Cable 3263 for AEMG Machine



Broken Bit Detection Board&Card Sleeve for Hans Machine



Z-axis Motor for Schmolz Machine



Photoelectric Switch EE-SX671/671R



Two Color Digital Pressure Switch Sensor



Oxygen Sensor



Infrared CO2 Sensor



MATRIX Solenoid



Control Module Hm152 for Hitachi Machine



IO Card for Hitachi Machine



Oil Cooler Control Plate for Hitachi Machine



Hard Disk for Schmolz Machine(Wthin System)



Tool Detection OPTECH-TC1 for Hitachi Machine



CDD Tool Detection OP-TS4 for Hitachi Machine



Key Control Plate for Schmolz Machine



Yaskawa Server Motor



Tool Detection for Schmolz/Posalux Machine



Tool Detection for Posalux Machine(New Type)



BDD Dust Sensor MAKE 30/50 for Hitachi Machine



NCPCB Tool Detection



Merveille Tool Detection DS-5V-M



Tool Detection Y-TEK-2 for Tongtai Machine



Tool Break Detection Board CBD-V1



Amplifier HPX-NT2



Amplifier TS-24-01 for Tongtai Machine



CBD Coil for Tongtai Machine



Needle Reader for Hitachi Driller



OMRON E3X-NA11 Sensor

Detection Tool

Detection Tool



Fibre-optical
HPF-S263-B



Fibre-optical
ES2-321A-15



Fibre-optical
ES2-321A-05



Fibre-optical
HPF-T009-S3



Fibre-optical FU-59



Fibre-optical FTA-280L



Gripper Sensor MK5-BV13329
for Schmol Machine



Sensor Mk5138



CKD-KOHSwitchSensor



Sensor D-M9N



Sensor D-F8N



Tool Detection for
Vega Machine



Tool Detection for
AEMG/Henghai Machine



Tool Detection for
AEMG Machine



Tool Detection for Linsong/
Sogotec Machine



Tool Detection for
Hans Machine



Tool Detection for
Taliang Machine 1



Tool Detection for
Taliang Machine 2



Tool Detection for
Taliang Machine 3



Tool Detection for
Taliang Machine 4



Tool Detection & Amplifier
UB-24V-1-A
for Taliang Machine



Z-axis Guide & Slide
for Hitachi Machine



Lead Screw for
Hitachi Driller



Z-axis Lead Screw for
AEMG Machine



Fuse 7.5A
for Hitachi Machine



Fuse 10.0A for
Timax Machine



Universal Joint
FD15-5-080



Universal Joint
JA15-5-080



Solenoid 2W-160-15



Solenoid CKD



Solenoid for
Schmol Machine



Tool Cassette Handle
for Hans/Schmol Machine



Torque Test Tool for
Westwind Collet



PIN Forceps



Manual Ring Machine 1



Manual Ring Machine 2



Support Rod Y2020,
Y3007 for Hitachi Machine



Support Rod for
Schmol Machine



Pressure Gauge



Residual Thickness Gauge

Detection Tool

Detection Tool



Block V for Tongtai Machine



Front PIN Clip for Tongtai Machine



Hinge for Tongtai Machine



Laser Tool Detection Base for Tongtai Router



Pressure Foot Connect Rod for Hitachi Machine



Radial Bearing QIC



Thrust Bearing QIC



Fixed PIN for Hitachi Machine



Vacuum Pipe Joint for Hitachi/Timax Machine



Vacuum Pipe Joint for Schmoll/Takisawa Machine



Vacuum Pipe Joint for Taliang Machine



Vacuum Pipe Joint for AEMG Machine



Vacuum Pipe Joint for Taliang Machine



Vacuum Pipe Joint for Tongtai Machine



Vacuum Pipe Joint for Tongtai Machine



Vacuum Pipe Joint for Hans/Vega Machine



Air Flotation Foot for Hans Machine 1



Air Flotation Foot for Hans Machine 2



Hinge for Schmoll Machine



Tool Cassette Assembly for Schmoll Machine



Vacuum Pipe Joint for Qianghua Machine



Vacuum Pipe Joint for Lihsong Machine



Mushroom Head for Hans Driller



Mushroom Head for Hans Driller 1



Cable for Vega Machine



Cable for Schmoll Machine



Punch Pin for Tongtai Machine



Punching&Grinding Parts



Mushroom Head for Schmoll Machine



Insulating Sheet for Schmoll Machine



Mushroom Head for Tongtai Machine



Mushroom Screw for Schmoll Machine



Tool Cassette Fixed Base for Hitachi Machine 1



Tool Cassette Fixed Base for Hitachi Machine 2



Tool Cassette Fixed Base for Hitachi Machine 3



Tool Break Detection Cover Plate for Hitachi Machine



96mm Guide Rod for Tongtai Machine



123mm Guide Rod for Tongtai Machine



Guide Rod for Schmoll Machine



Guide Rod MARK30 for Hitachi Machine

Other Accessories

Other Accessories



40374
Application: D1686-10/11/12/13/
14/15/16/18/19 Spindle



H912B
Application: Hitachi Driller



16703
Application: M320 series
Spindle



41928
Application: Takisawa/AEMG Driller
Westwind 1331-47 Spindle



1010
Application: Excellon
1000/1010/2000 Spindle



CR2000
Application: Excellon
420/480/820/880



H916C
Application: Hitachi ABL/H916
Spindle



1722
Application: Hans Driller matched
Spindle



38730
Application: M320 series Spindle



FR06
Application: Dachuan Router



CHK3.175 Collet
Application: X-Ray
Target Driller



NUT
Application: X-Ray
Target Driller



1769
Application: 1769-06 Spindle



1822
Application: 1822 Spindle



41844
Application: ABW-125, ABW-170 Spindle
D199-06A/10, D1473-07



14066
Application: MCT 60 R Spindle



ER16 Collet
Application: BTF Router



ER11 NUT
Application:
BTF Router



17593
Application: Spindles
D1199/1210/1131/
1531/1263/ D-1199-03
ABW 110/ Excellon
ABW110 D1201-06/ Posalux110
Schmoll: D1331-03/ 17/ 20A/
Pluritec:
D1201-20/ 21/ 23/ 27/ 30/ 31/36
D1331-08/ 13/ 19/ 24
D1263-01/ 03/ 04/ 07
D1531-02A/ 09A
Pluritec 62HFZA D1201-19



17508
Application: M320&ABW80
series Spindle
Excellon P/N: 216844-10,
D1251-03, Excellon AWB80,
M320-60/ Dynamotion



34381
Application: D1331-26 Spindle



263504
Application: Sogotec/Taliang Router



Er11 Collet
Application: BTF Router
precision: 0.005& 0.008u



ER16 NUT
Application:
BTFmilling machine



230505
Application: HB50B, LSW-69,
Taliang, Klingelnberg, Hitachi
routing machine CP-368



08085A1
Application: Westwind M320-24
Spindle



CHB3.175
Application: NSK Air Sander Spindle



AW160
Application: AW160-08 Spindle



37462
Application: D1201 Spindle,
D1331-24/30/41/42 D1531-08/42



063503
Application: Precise Spindle
Taliang, Klingelnberg
drilling&milling Spindle, DA-63,
TYPE-168 Spindle



263508



39730
Application: D1331-36 Spindle



39773
Application: M320-64C,
ABWR80



40508518
Application: JECE Spindle, Lisong,
Nikebao, Taliang Router,
CNC Engraving& Milling machine



SM220
Application: Westwind
882/MCT-200&220



41611
Application: Westwind
1331-48/49/51 Spindle



HR08A
Application: Hitachi Router



RKOU auxiliary Collet
Application: RKOU Machine



Hitachi auxiliary Collet
Application:Hitachi Driller



Taliang auxiliary Collet A
Application:Taliang Driller



Taliang auxiliary Collet B
Application:Taliang Driller



Taliang auxiliary Collet
Application:Taliang Driller



Dongtai auxiliary Collet
Application:Tongtai Driller



Dongyuan auxiliary Collet
Application:Dongyuan Driller



AEMG auxiliary Collet
Application:AEMG Driller



Takisawa auxiliary collet
Application:Takisawa Driller



Schmoll auxiliary Collet



Grooving machine Collet



Old Timax auxiliary Collet



Pin machine Collet



Takisawa auxiliary Collet (short)
Application:Takisawa Driller



Mania auxiliary Collet
Application:Mania Driller



Tenma auxiliary Collet 2003
Application:Timax Driller



Xuelong auxiliary Collet
Application:Xuelong Driller



Tenma auxiliary Collet 2006
Application: Tenma Driller



Tenma auxiliary Collet 2008
Application: Tenma Driller



Songlin auxiliary Collet
Application: Songlin Driller



Pin machine Collet
Application: Pin machine



Beveling Machine Collet
Application: Beveling machine



B8 Collet
Application: Schaublin collet



Collet sets of Grinding machine(chaomei)
Application:Full Automatic
needle drilling&grinding machine



Target machine Collet 26MM
Application: Target machine



Collet set of Grinding machineMDP-10
Application: grinding machine



Target machine Collet 30MM
Application: Target machine



Wendi machine Collet



Xingweike auxiliary Collet



Hitachi Routing Machine Collet



Grinding machine Collet core



Hitachi Big Hole New Style (Stainless Steel Titanium Plating) Hitachi Small New Style (Stainless Steel Titanium Plating) Hitachi Big Hole (Stainless Steel Titanium Plating) Hitachi Small Hole (Stainless Steel Titanium Plating)



Hitachi Standard (Stainless Steel Titanium Plating) Hitachi Big Hole (Wear-resisting PA66) Hitachi Small Hole (Wear-resisting PA66) Hitachi Small Hole 6 Slots (Wear-resisting PA66)



Hitachi Soft Rubber(MARK10) SCHMOLL 5 Slots (Wear-resisting PA66) Posalux /Hans General Use (Wear-resisting PA66) Schmol Small Hole (Wear-resisting PA66)



Schmol Big Hole (Wear-resisting)1 Schmol Big(POM) Schmol (Wear-resisting)2 Dongxing 28.7mm (Wear-resisting PA66)



Tongtai E Shape (POM) Tongtai H Shape (POM) Tongtai H Shape (with hole) Tongtai H Shape Earthy Yellow(Wear-resisting PA66)



Taliang Big Hole Blue(PP) Taliang Big Hole Purple(PP) Taliang Small Hole Yellow(PP) Taliang Small Hole Orange(PP)



Taliang Small Hole 6 Slots Red Taliang Big Hole Green Taliang Small Hole Yellow(PP) Takistaki Small Hole (Wear-resisting PA66)



Takistaki Square QIC Takistaki Soft Rubber Takistaki Small Hole (Stainless Steel Titanium Plating) Vega 18krpm Blue (Wear-resisting PA66)





Vega Switch (Wear-resisting PA66) Vega 18krpm Vico 4 Groove (Wear-resisting PA66) AEMG 6 Groove



AEMG Small Hole (Wear-resisting PA66) AEMG Big Hole (Wear-resisting PA66) AEMG 3 Groove AEMG Oval

pressure foot inserts

pressure foot inserts



pressure foot inserts

Pressure foot brush



BTF Router Brush
(OD50mm)



Dachuan Router Brush
(OD54mm)



Schmoll Router Brush
(OD44mm)



Schmoll Router
Nylon Brush



Hitachi Router Brush
(OD75mm)



Hitachi Router Thick Brush
(OD50mm)



Posalux Router Brush




Engraving Machine Brush
(OD65mm)



Italy Router Brush
(OD82mm,84mm)



Italy Router Brush
(OD28mm)




Tube Brush



Groove Brush



Collet Plastic Handle Brush



Tube Brush



Collet Brush



Plastic Handle Brush



Soundproof Ring



Manual V-CUT
Bearing Rubber Ring



Linear Bearing



Axe Tyrant



MULTEMP PS No.2 2.5kg
Maintenance Oil



Klueber NBU15 1kg



NSK Screw
Maintenance Oil PS2 80g



DOW Chuck
Maintenance Oil



CRC Rust Preventive Oil



ROCOL Collet
Maintenance Oil



THK AFC Screw Oil 70g



THK Guide Rail Oil



Tungsten Steel V-CUT Tool



PCD Edge Cutter



Dust Hose Tube



PP Rubber Roller



V-CUT Machine
Rubber Roller



Coating Roller



Dust Hose Tube



PP Rubber Roller



Tongtai Machine Filter



Schmoll Machine Filter



Hans Machine 020AO Filter



Hans Machine 015AA Filter

Pressure foot brush

Pressure foot brush


Bakelite Plate

Usage:

- Grinding Bakelite used for the bottom plate in PCB drill machine,router machine,testing bottom plate. Good flatness,thickness tolerance within $\pm 0.1\text{mm}$.

Features:

- Good electrical performance at room temperature, good machining performance



Specification				
Item name	bakelite	Model No	XPC	
Base material	Bleached wood pulp paper + phenolic resin		rate:1:4	
project	Test Method	unit	result	
flame retardant rating	A	--	94-HB	
the dielectric coefficient	C-96/20/65 (in25 °C oil)	KV/mm	10 (ok)	
volume resistance	C-96/20/65 C-96/20/65+C-96/40/90	Ω	$5 \times 10^{11} - 10^{12}$ $5 \times 10^9 - 10^{11}$	
surface resistance	C-96/20/65 C-96/20/65+C-96/40/90	Ω	$5 \times 10^{10} - 10^{12}$ $5 \times 10^9 - 10^{11}$	
insulation resistance	C-96/20/65 C-96/20/65+D-2/100	$\Omega\text{-cm}$	$5 \times 10^{10} - 10^{11}$ $10^7 - 10^9$	
rate of induced electric	C-96/20/65 C-96/20/65+D-48/50	--	4.0-5.0 4.5-5.5	
induced electric positive	C-96/20/65 C-96/20/65+D-48/50=	--	0.035-0.045 0.04-0.05	
bending strength(transverse)	A	kg/mm ²	12-17	
heat resistance(120min)	A	°C	130 (ok)	
impact strength(parallel)	A	kg-cm/cm ²	2.8-3.4	
bonding strength	A	kg	400-550	
vertical parallel	compression strength	A	kg/mm ²	29-34 19-24
water absorption	E-24/50+D-24/23	%	0.12-0.16	
acetone resistance				


Dust Cover

Features:

- Flexible Flexible accordion cover,Commonly known as leather tiger. Outside use Germany nylon cloth,inner use PVC board support,the edges are clamped with stainless steel.his shield has the advantages of small compression and long stroke.Oil resistance, corrosion resistance, hard object impact without deformation;And with long life, good sealing, smooth walking, durable and other characteristics.To the use of machine tools to bring perfect results.The sealing speed can reach 200m/min.

The flexible organ type protective cover manufactured by our company is a series of products that can be combined at will.

- The raw material,appearance,pocessing method and sizes can be determined according to the actual situation.



specification				
Numbers	Item	Data	Remark	Shield construction material
B	total width			material nylon leather
B1	inner width			prop up PVC sheet
B2	single side width			junction plate Resin plate/iron plate
H	height			pulley copper or nylon bearing
H1	inner width			matching machine model
H2	total height			
W	fold numbers			
V	stretch length			
V1	compressed length			
HV	length of fold height			

Wound Cotton Core

Features

- The porous skeleton of the filter is precisely wined with PP yarn , made of different filtrating precision cotton core via control the winding density and the pore shape of the filter layer . The goods has a high filtration pressure, small inner and big outer of the filter pore's diameter ,bring an excellent deep filtrating effect and can effectively remove suspended solids from the liquid fine particles.

Specifications

- Accuracy Range:0.5-100μm
- Length (L) : 10"、20"、30"、40"



PP Filter

Features

- The filter is made from PP meltblown microfiber, and has high porosity, less hindered force, big flow rate, excellent filter effects and the fiber is not easy to fall off. Apply to filtration in chemical solution, plating solution and a variety of acid-base solutions.

Specifications

- Common length (L) specifications are: 10"、20"、30"
- Accuracy Range: 5μ, 10μ, 50μ



Collar

Features

- When drilling units on the bit; Selection of imported plastic strength and toughness, good elastic properties; A variety of colors to distinguish different specifications to meet the needs of drill bits.

Specifications

- Outer diameter (a) : 7.6±0.05mm
- Inner diameter (c) : 3.05±0.05mm
- Height (b) : 4.6±0.05mm



PIN

Features

- base for special steel, wear-resistant, and durable;
- Tolerance: +0.00/-0.01mm;
- Nail head: Round and Flat.

Specifications

- Drilling pin: Diameter: φ3.1, φ3.12, φ3.15, φ3.175
- Length: 13, 15, 15.8, 18, 20, 22
- Milling board pin: Diameter: φ0.70-6.50 (interval 0.05)
- Length: 13, 15, 15.8, 18, 20, 22



Nylon Grinding Brush

Features

- Abrasive nylon tensile strength ≥ 7.84N/cm²
- Density between the wire and roller brush:
φ0.5-0.7 ≥ 2500 root/cm²
φ0.7-1.0 ≥ 2500 root/cm²



specification

(mm)		Inch			
Outer Diameter	Length	Inner Diameter	Length	Outer Diameter	Inner Diameter
80	324	40	4	24	1
103	610	63	4	24	1 ^{3/8}
105	615	60	5 ^{1/2}	24	1
105	645	35	4 ^{1/2}	24	1
120	650	30	4	30	1
150	1430	60	4	40	1
220	300	50	3 ^{5/8}	24	1 ^{3/8}